

go **S**
EASY

USERS GUIDE



sylvansport



go  EASY™



TABLE OF CONTENTS

Welcome

Welcome to GO Easy.....	3
-------------------------	---

Let's get ready to GO

A great adventure takes Preparation	4
Important notes about using This User Guide	4

Pre-trip preparations

Preparation overview	5
Pre-trip checklist	5
Tool-kit.....	7

Towing guidelines

Towing overview.....	7
Determine the weight of the GO Easy (before and after loading)	8
Qualifying your tow vehicle	8
Preparing your tow vehicle.....	9

System Diagram

Features and components diagram	10
---------------------------------------	----

Suspension System

Suspension System overview	12
Tires and wheels	12
Spare Tire	12
Torsion Axle.....	12
Self-lubricating Wheel Bearings.....	12
Maintenance	13
Troubleshooting	13

GO Easy Rack System

Rack System overview.....	14
Loading and disconnecting racks.....	14
Maintenance	14
Troubleshooting	14

Electrical System

Electrical System overview	15
Preparing your vehicle	15
Maintenance	15
Troubleshooting	15

Frame

Frame overview	16
Maintenance	16
Troubleshooting	16

Maintenance

General maintenance overview 16
Cleaning 16
Long term storage and winterization 17
Obtaining Service 17

Accessories

SylvanSport Accessories overview 17

Important Paperwork

Warranty 18
Change of ownership notification 21

Contact Information for SylvanSport

Addresses and phone numbers 21
Websites 21

Important Consumer Information

Reporting safety defects in the U.S. 21

Insurance

Insurance overview 22
Technical data 23

Travel Records and Notes 24

WELCOME

Congratulations on your purchase of the SylvanSport GO Easy. Good times lie ahead.

Your new GO Easy is a unique vehicle designed to take you and your gear on many adventures. It has been engineered and manufactured to the highest standards.

Please review this User Guide carefully.



GO Easy Essential



GO Easy Ultimate

LET'S GET READY TO GO

PREPARATION

Now that you have the ultimate gear hauling adventure trailer, you are almost ready to hit the road. Of course, there are a few things you will need to know before you go. Preparation and a good working knowledge of the GO Easy are very important. Time should be taken to carefully review everything in the User Guide.

USING THIS USER GUIDE

As you read through the User Guide, you will encounter the following items:



Indicates a potentially hazardous situation which, if ignored, could result in serious injury or death.



Indicates a potentially hazardous situation which, if ignored, may result in minor or moderate injury. It may also be used to alert against any unsafe practices



Means that there is a possibility of damage to the GO Easy if instructions are not followed.



Indicates a point of particular interest for more convenient or efficient operation.

Illustrations and photos in this User Guide are designed to assist you in understanding locations, functionality, and operational details of your GO Easy trailer.

If service or repair is required for your GO Easy, please refer to the website www.sylvansport.com for the most up to date information on service, locations and warranty. If you do not have access to the internet, you can always call (828) 883-4292 and speak to a customer service representative.

SylvanSport, Inc. reserves the right to change specifications, design or materials of its products at any time without notice or incurring any obligation to incorporate such changes in any product previously manufactured.

PRE-TRIP PREPARATIONS

PREPARATION OVERVIEW

Before leaving on your first trip with your new GO Easy, read the information in this User Guide very carefully. After reading through the User Guide, run through the following checklist at least once. (If you need to reference any of the sections to help you along the way, there is an overview at the beginning of each section designed to give you a quick refresher.)

PRE-TRIP CHECKLIST

- Loading:** Properly load and secure (with straps) your GO Easy camping trailer by carefully and evenly distributing the weight, properly following accessory equipment (Thule, Yakima, etc.) guidelines, and not exceeding the trailer's capacity. (see Towing Guidelines)
- Wheel Lug Nuts:** Check the torque on your wheels before your first trip, 75-85 ft lbs. They should be checked and retorqued after the first 10, 25 and 50 miles, when your GO Easy is new. (see Suspension System)
- Tire Inflation:** Tires leave the factory at the recommended pressure of 30 psi. To help insure that you don't run into premature or uneven tire wear, always check the tire pressure before heading out on the road. (see Suspension System)
- Trailer Coupler:** Do a visual check to make sure the trailer coupler is securely latched to the tow vehicle's ball hitch and the indicator marker is in the "green/+" section. Make sure that you have a 2" ball. Make sure the ball is tight and that a proper engagement has been made. The handle will drop and the indicator will show a "+" symbol when proper engagement has been made. (see Towing Guidelines)
- Electrical:** Attach the 4-wire connector to the tow vehicle's mating electrical outlet. Check to see that all trailer lights are functioning properly. Check the connection to the tow vehicle to assure a tight fit. Check the lights to make sure they are functioning properly (including brakes and turn signals). Make sure the cable is not close to or dragging on the ground. (see Electrical System)
- Safety Cables:** Connect safety cables properly by crossing them under the trailer's tongue and fastening them to the tow vehicle chassis or hitch receiver. Make sure there is a positive connection and that the clip is fully engaged.

- ❑ **Latches, pins and carabiners:** Walk around the GO Easy and check the pin on the tongue to make sure it is secured properly. Check the two carabiners on the tailgate and make sure they are secure. Make sure the set pins which secure the top tailgate bar are securely fastened. Be sure to secure your load with straps wherever possible.



TOOL KIT

Before leaving on your first trip it is a good idea to put together your own tool-kit that contains the following items:

- **19mm (3/4") Lug Wrench or 19mm (3/4") socket (for lug nuts)**
- **Socket set with metric sockets (13mm)**
- **Phillips Head Screwdriver**
- **Tire Pressure Gauge**
- **Electrical Tape**
- **Duct Tape**

* IMPORTANT

Do NOT climb on or get inside the plastic storage box. Suffocation can occur if a person is locked inside a storage box.

* NOTE

Be sure to take the tool-kit and User Guide with you on every trip.

TOWING GUIDELINES

TOWING OVERVIEW

The SylvanSport GO Easy is a remarkably light and well handling trailer. Below are the key steps for assuring an enjoyable experience and avoiding potential problems.

- Know the total weight of your GO Easy and the gear you are hauling.
- Qualify your tow vehicle to be sure it is capable of carrying the load.
- Prepare your tow vehicle with a hitch system and electrical system. (2" ball, flat 4-wire electrical)
- Learn and practice the basics of driving with a trailer.

DETERMINING WEIGHT OF GO EASY ADVENTURE TRAILER (BEFORE AND AFTER LOADING)

GO EASY WITH 600 LB. AXLE:

GO EASY ULTIMATE: MAX. OPERATING WEIGHT 600 LB. (GVWR)



TRAILER WEIGHT (EMPTY) 305 LB.



MAX. GEAR CAPACITY 295 LB.

GO EASY WITH 800 LB. AXLE

GO EASY ULTIMATE: MAX. OPERATING WEIGHT 800 LB. (GVWR)



TRAILER WEIGHT (EMPTY) 305 LB.



MAX. GEAR CAPACITY 495 LB.

QUALIFYING YOUR TOW VEHICLE

First and foremost, you must know if your vehicle can haul the load. It is extremely important that you find out what your tow vehicle's towing capacity is. This is usually listed in the vehicle Users Guide. Once you know the weight capacity of your tow vehicle it is easy to determine how much additional gear you can load onto your GO Easy.



PREPARING YOUR TOW VEHICLE

There are two essential areas that need to be addressed in order to prepare your vehicle to tow your GO Easy, the hitch system and the electrical system. This User Guide will not provide information on how to install either and suggests that you have it done professionally by a certified mechanic or trailer service professional.


In order to properly tow the GO Easy you will need a Class 1 or greater hitch, with a standard 2" ball and flat 4 wire wiring harness installed on your vehicle. Trailer hitches and wiring harnesses can be installed by either yourself or by a qualified third party installer. The tongue weight of the GO Easy is approx. 30 lbs.

Keep in mind that careful attention should be paid to avoid damaging the GO Easy, your car or people. Drive on a low-traffic road and get the "feel" of your GO Easy. Once you are comfortable going forward, turning and braking, practice backing up. Backing should be done slowly to avoid jack-knifing the GO Easy and damaging the hitch. Remember, when you are backing up, the trailer will move in the opposite direction you are turning the steering wheel. Have a friend help you by spotting the trailer movement.





SYSTEM DIAGRAM


GO EASY COMPONENTS AND FEATURES DIAGRAM



Front View



Rear View



SUSPENSION SYSTEM

SUSPENSION SYSTEM OVERVIEW

The GO Easy suspension consists of the torsion axle with self-lubricating bearing system, standard galvanized or custom alloy wheels, tires and an optional spare tire/wheel (standard on the Ultimate Model, available on the Essential Model), mounted underneath the deck.

TIRES AND WHEELS

The GO Easy uses 4.80-12, two-ply high speed rated tires and a galvanized steel or an aluminum alloy wheel with a five-bolt pattern. Proper inflation should be maintained. **SylvanSport recommends keeping the tires inflated to 30 psi for best travel performance.** Check tire wear occasionally to avoid getting a flat. Wheels are secured using 1/2" - 20 thread lug-nuts. Ensure lug-nuts are tight according to recommended schedule.

SPARE TIRE

The GO Easy can be equipped with a spare tire mounted under the deck in the rear. To remove the spare tire, undo the two retention bolts and remove from mounting bracket. Remove the flat tire/wheel and replace with spare. The spare is a smaller diameter tire and wheel and it is not recommended that you travel far with the spare. Repair the tire and replace the spare as quickly as possible.

TORSION AXLE

The GO Easy comes equipped with a sophisticated torsion axle system. A smoother ride, independent wheel suspension, less impact on components and car are all advantages to this suspension system. The GO Easy torsion axle requires no maintenance other than lubrication through the self-lubricating wheel bearings. The lug nuts, used to attach your wheels to your axle should be checked and retorqued after the first 10, 25 and 50 miles, when your GO Easy is new. After that, you should check your lug nuts prior to every trip. Failure to do this could cause wheel loss and an accident.

SELF- LUBRICATING WHEEL BEARINGS

The GO Easy comes equipped with Dexter brand, self-lubricating wheel bearings. Use standard #2 axle grease. Remove the black dust cap, attach grease gun to grease fitting, slowly inject grease while rotating wheel until excess is expelled around perimeter of recess. Wipe off the excess grease and replace cap.

MAINTENANCE

Maintenance on the GO Easy suspension system includes visual inspection and lubrication. When visually inspecting the system, check to make sure the tires appear to be fully and evenly inflated. Also be sure the tread hasn't worn to an unsafe level. The self-lubricating wheel bearings should be properly filled with grease. The spare tire should also be inflated to insure it is useable in case of emergency.

TROUBLESHOOTING

Q. What if my tires are severely worn?

A: *The 4.80-12, two-ply high speed rated tires can be purchased at most tire suppliers, and mounted to the wheel by them or at a service station.*

Q. What if I notice a lot of grease on my wheels and axle area?

A: *Typically, when you fill your self-lubricating wheel bearings, some grease will find it's way out, this is normal. This will be noticeable on your wheels and should be cleaned up.*

Q. What is the proper grease to use for my wheel bearings?

A: *Use only a standard #2 Axle Grease.*



GO EASY RACK SYSTEM

RACK SYSTEM OVERVIEW

The GO Easy comes with a square crossrail/load bar rack system and is designed to accept most major manufacturers boat, bike and storage rack systems. The load bar system enables you to attach an almost infinite combination of boats, bikes, racks, accessories and components to your GO Easy. The GO Easy frame is designed to be compatible with most of the major rack manufacturers (Thule, Yakima, etc.) components.

SylvanSport is an authorized Thule dealer and recommends Thule components, available at the SylvanSport store on sylvansport.com.

LOADING AND DISCONNECTING RACKS

The GO Easy rack system is designed to carry bikes, kayaks, boats, storage boxes, and more. Always follow the manufacturers' instructions when attaching various rack accessories from the major rack manufacturers. Never exceed combined maximum gross vehicle weight, as stated on the trailer VIN placard.

If you have any questions regarding installation, call us at (828) 883-4292.

MAINTENANCE

Maintenance on the rack system should only require a visual inspection. When inspecting the system, check to make sure that none of the parts are damaged or bent and that all the hardware is present and properly tightened.

TROUBLESHOOTING

Q. Will every manufacturers rack system fit on the GO Easy?

A: The GO Easy is built with 2" diameter, steel frame members. This standard size allows for the fit of most manufacturers load bar systems, from which you can attach all manufacturers boat, bike and travel accessories.

Q. If I'm still having trouble with fit, who do i contact?

A: Manufacturers websites provide contact information for their customer service. If you need to contact SylvanSport, please call us at 828-883-4292

* NOTE

For updated troubleshooting information on the upper rack system, please check out www.sylvansport.com

ELECTRICAL SYSTEM

ELECTRICAL SYSTEM OVERVIEW

The GO Easy electrical system consists of the 4-wire connector, the main cable, 2 LED amber side marker lamps (front), 2 LED red side marker lamps (back), 2 LED rear stop/tail/turn lights and a license plate light located in the tailgate and connected by a waterproof connector.

PREPARING YOUR TOW VEHICLE

Your tow vehicle simply needs to be wired for a standard 4-wire trailer connection. This is typically done professionally at the time of your vehicle tow package installation.

MAINTENANCE

Maintenance on the electrical system should include frequent visual inspections, cleaning and the occasional replacement of lamp bulbs, should they fail. The lights are very easy to remove and replace and parts can be purchased through Sylvansport.com. The troubleshooting section gives more detail on replacing parts.

TROUBLESHOOTING

Q. What If none of my lights work at all?

A: Have a professional check the wiring of the tow vehicle to ensure it's working properly. Check to be sure there aren't any cuts, breaks, etc in the main cable of the GO Easy. If necessary, take it to an authorized SylvanSport Service Center.

Q. What If one of my side marker lamps is not working?

A: To remove and replace a side marker lamp, simply unscrew the two screws with a Phillips head screwdriver. Unplug connector and replace with new lamp. Replace back into plastic housing and screw it back onto the rear frame or front mounting bracket.

Q. What If one of my stop/tail/turn lamps is not working?

A: To remove and replace a stop/tail/turn lamp, simply unscrew the three screws with a Phillips head screwdriver. Unplug connector and replace with new lamp. Replace back into plastic housing and screw it back onto the rear frame.

FRAME

FRAME OVERVIEW

The GO Easy trailer frame is constructed from heavy duty, steel tubing, giving it a very high strength and light weight. The frame is assembled with a series of bolted connections. The finish is a durable electro-static powder coated acrylic paint. For more detailed information on the frame go to www.sylvansport.com.

MAINTENANCE

Maintenance on the frame should include frequent visual inspections and cleaning. Hose off the frame along with the rest of the GO Easy.

TROUBLESHOOTING

Q. What If part of the frame gets bent?

A: Depending on the location and extent of the damage, you can order a replacement part through SylvanSport, by calling (828) 883-4292. **Do not use your trailer, if any frame components are bent!**

MAINTENANCE

GENERAL MAINTENANCE OVERVIEW

The GO Easy adventure trailer is designed to give you years of trouble free enjoyment. However, proper care is required to reduce the likelihood of breakdowns, excessive wear and tear or misplacement of critical components.

CLEANING

Cleaning the GO Easy is similar to cleaning an automobile. Care should be taken to avoid using abrasive and corrosive materials and chemicals.

Metal Parts: When cleaning the painted metal parts, use a mild detergent soap (auto-wash or dish soap) and water solution with a soft cloth or sponge.

Plastic and Rubber Parts: The tires on the GO Easy adventure trailer are standard rubber tires and can be washed and treated the same as any automotive tire. The plastic molded parts are HDPE, if you require more than a mild detergent soap, SylvanSport recommends an orange based cleaner product.

LONG TERM STORAGE AND WINTERIZATION

A few notes on long term storage: Be sure all the fabric elements are dry when storing for long periods to discourage mildew from growing. If you are storing outside, be sure to cover the GO Easy adventure trailer. After long term storage, check all the components to be sure they are still in good condition and check the inflation of the tires as well. Rotate the wheels periodically to reduce tire degradation. Lubrication of the bearings should be performed according to instructions in the User Guide.

The GO Easy can store tilted vertically, onto it's molded rear frame which takes up considerably less space. Be sure to remove the license plate, be sure the floor beneath the tilted GO Easy is free from obstructions and clean, (padding this area is also a good idea). Remove the tongue and hang it on the front marker lamp brackets shown in the photo.



OBTAINING SERVICE

If you have a problem with your GO Easy that can not be addressed by information contained within this User Guide, go to www.sylvansport.com to find the name and location of the Service Center nearest you. You may also call or email us at (828)883-4292 or info@sylvansport.com

ACCESSORIES

At SylvanSport we are constantly developing new accessories to make the GO Easy as great an experience as possible. Visit us at www.sylvansport.com to see the current range of available products.

IMPORTANT PAPERWORK

LIMITED WARRANTY

SylvanSport, LLC (the manufacturer) warrants to the original retail purchaser only, for a period of (1) one year that each new GO Easy adventure trailer will be free from defects in workmanship and materials under normal use and service, as described below. The manufacturer's obligation under this limited warranty is limited to repairing or replacing at its factory, or authorized dealer, any part or parts thereof which shall, within the applicable warranty period, be returned to the manufacturer, with transportation charges prepaid, and which upon the manufacturer's examination shall disclose to its satisfaction to have been defective. Note: Labor and freight charges, coverage on all limited warranties provided herein are limited to one year (12 months) from the date of the original retail purchase.

FRAME AND DECK

SylvanSport, LLC warrants to the original purchaser only, that the frame of the GO Easy adventure trailer will be free from defects in workmanship and materials for one year under normal use and service, or until the vehicle is no longer in the original owner's possession. This warranty does not cover maintenance, such as rust prevention, paint, scratches.

* NOTE

Labor and freight charges coverage on all limited warranties provided herein are limited to 1 year (12 months) from the date of original retail purchase.

ELECTRICAL SYSTEM

SylvanSport, LLC warrants to the original retail purchaser only that the electrical system will be free from defects in craftsmanship and materials for a period of one year (12 months) under normal use and service. This warranty does not apply to burned out bulbs or modifications to the electrical system.

STORAGE BOXES

SylvanSport, LLC warrants to the original retail purchaser only that the plastic storage boxes and their frames of the GO Easy adventure trailer will be free from defects in workmanship and materials for a period of one year (12 months) under normal use and service. This warranty does not apply to mildew, mold, abrasions, shrinkage, fading and/or soiling. Damages of this nature must be reported at the time of retail delivery to be covered by this warranty.

WHEELS AND AXLE

SylvanSport, LLC warrants to the original retail purchaser only that the wheels and axle of the GO Easy adventure trailer will be free from defects in workmanship and materials for one year (12 months) under normal use and service or until the vehicle is no longer in the original retail purchaser's possession. This warranty does not apply to rust, scratches, abrasions or paint damage. Damages of this nature must be reported at the time of retail delivery to be covered by this warranty.

GRAPHICS

SylvanSport, LLC warrants to the original retail purchaser only that the labels, decals and vinyl appliques of the GO Easy adventure trailer will be free from defects in workmanship and materials for a period of 90 days after retail delivery. Due to the inability of the manufacturer to control how a unit is cared for, washed, waxed stored, etc. we can only offer a 90 day warranty on this material.

This is a **LIMITED WARRANTY** under Federal Regulations and does not cover any products/appliances purchased and installed in your GO Easy. These products may carry separate warranties by their respective manufacturers. SylvanSport, LLC does not accept any responsibility in connection with any of its adventure or camping trailers when they have been altered outside of its own factory. Misuse, neglect, accident, loading beyond capacity, use as a demonstrator, rental unit, or any other alterations shall void this warranty. We do not assume any responsibility for loss of use of vehicle, loss of time, inconvenience, or expenses incurred due to equipment failure.

This warranty does NOT apply to:

This warranty shall not apply to normal maintenance such as: greasing wheel bearings, tightening lug nuts, rust protection/paint maintenance, etc. that the vehicle will require, nor to any damages resulting from the failure to have such maintenance performed.

This warranty shall not apply to bulbs, valve stems and minor imperfections in the aesthetics, physical appearance or operation which do not affect the suitability of the camping trailer for its intended use, such as, but not limited to fading, discoloration or superficial rusting of metal parts.

This warranty shall not apply to general wear and usage such as fading or discoloration of the tailgate, tears, punctures, soiling, mildew, chips on panels, effects of moisture, condensation inside the vehicle, mishandling, neglect, abuse, misuse, lightning or other acts of nature or corrosive atmospheres. Any of the aforementioned items must be noted at the time of retail delivery for any warranty coverage.

Problems which may arise due to lack of maintenance or failure to have such maintenance performed will not be covered by this warranty. This warranty

shall not apply to normal maintenance items including, but not limited to, inspections, adjustments, cleaning, greasing wheel bearings, proper tightening of lug nuts, and axle service (if required.) Failure to perform such routine and normal maintenance as set out in the GO Easy User Guide could result in the damage to your vehicle and will void any warranty provided by SylvanSport, LLC.

This warranty shall not apply to cost incurred in the transportation of the vehicle to a dealer or cost incurred as a result of the customer's request to have repairs performed at a location other than an authorized SylvanSport Service Center (without our express permission.)

Warranty Service

SylvanSport, LLC authorizes any and all of our active dealerships to provide warranty service to our SylvanSport product line on items proven to be substantially defective in material and/or workmanship during the applicable warranty period. Our authorized dealerships may be located by visiting www.sylvansport.com

Parts and Design Changes

SylvanSport, LLC reserves the right to make changes in its parts, components and/or design at any time without notice and without obligation to make available to the consumer any items or parts components which it has discontinued, as long as a "suitable for use intended" replacement item is made available.

Warranty Registration

This SylvanSport, LLC warranty is void unless a fully completed warranty registration has been returned to us within 10 days of retail purchase.

THE LIABILITY OF THE MANUFACTURER UNDER THIS LIMITED WARRANTY IS LIMITED TO THE REPAIR OR REPLACEMENT AS SPECIFIED ABOVE. REPAIR OR REPLACEMENT SHALL BE ONLY AT THE MANUFACTURER'S FACTORY "OR AUTHORIZED DEALER." THIS IS THE EXCLUSIVE AND COMPLETE WARRANTY MADE BY THE MANUFACTURER. THE MANUFACTURER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES, AND DISCLAIMS ANY EXPRESSED OR IMPLIED WARRANTY OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER APPLICABLE WARRANTIES. THIS WARRANTY IS ALSO IN LIEU OF ALL OTHER OBLIGATIONS OR LIABILITIES ON THE PART OF THE MANUFACTURER. THE LIABILITY OF THE MANUFACTURER UNDER THIS LIMITED WARRANTY DOES NOT EXTEND TO LOSS OF TIME, INCONVENIENCE, LOSS OR USE OF ANY PRODUCT OR OTHER GOOD INCORPORATING OR UTILIZING THE MANUFACTURER'S CAMPING TRAILER (OR ANY LOSS OF ANY PROFITS RESULTING THEREFROM), INJURY TO PERSON, OR ANY OTHER INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES WHATSOEVER.

Change of Ownership Notification

If you are the second or subsequent owner of this GO Easy adventure trailer, it is important that you notify SylvanSport of your name, address and camping trailer serial number. This information is vital for SylvanSport to maintain up-to-date records of current ownership or to notify you in the event of a recall.

CONTACT INFORMATION

SylvanSport

235 Commerce Street | Brevard, NC 28712
p 828-883-4292 | f 828-883-4817
info@sylvansport.com | www.sylvansport.com

IMPORTANT CONSUMER INFORMATION

REPORTING SAFETY DEFECTS IN THE USA

The following note is added as a requirement of the National Highway Traffic Safety Administration (NHTSA).

If you believe that your vehicle has a defect which could cause a crash or could cause injury or death, you should immediately inform the National Highway Traffic Safety Administration (NHTSA) in addition to notifying SylvanSport, LLC.

If NHTSA receives similar complaints, it may open an investigation, and if it finds that a safety defect exists in a group of vehicles, it may order a recall and remedy campaign. However, NHTSA cannot become involved in individual problems between you, your dealer, or SylvanSport, LLC.

CONTACT NHTSA

Auto Safety Hot-Line

1-800-424-9393 (or 1-800-366-0123 in Washington, DC area)

Or write to:

NHTSA

U.S. Department of Transportation | Washington, DC 20590

REPORTING SAFETY DEFECTS IN CANADA

Road Safety and Motor Vehicle Regulation

Directorate of Transport Canada

2780 Sheffield Road | Ottawa, Ontario Canada K1B 3V9

1-800-333-0510

* NOTE

The GO Easy is designed to use 4.80-12, two-ply high speed rated tires. Use of tires other than this size is not recommended and may void warranties.

⚠ WARNING

Be sure tires are properly inflated and tread is not worn excessively.

INSURANCE

INSURANCE OVERVIEW

As with your automobile it is important that you protect yourself and others with insurance coverage for personal liability, theft, collision, property damage, etc. Check with the company which provides you with your automobile insurance.

TECHNICAL DATA/GENERAL SPECIFICATIONS

The General Specs on the GO Easy adventure trailer, which may prove helpful as you sign up for your insurance policy, include:

- Dimensions: Short Tongue: 120"L x 62"W x 34"H
- Dimensions: Long Tongue: 150"L x 62"W x 34"H
- Empty Weight:
 - Essential: No Deck and no Storage Box: 235 lbs
 - Ultimate: With Deck and With Storage Box: 305 lbs.
- Gross Vehicle Weight: 600 lbs or 800 lbs, depending on model.
- Suspension: Torsion Axle, 12" Tire and Wheel Package
- Materials: Steel Powder-coated Frame, HDPE, Aluminum
- Ground Clearance: 10"
- Storage Capacity:
 - Waterproof Front Storage Pod
 - Polished Aluminum Diamond-plate Deck
- Hitch: 2" Ball Coupler
- Electrical: Flat 4-Pin
- GO Easy User Guide Rev.01202016

